ET-PARROT

低压卤素灯电子镇流器ECG



应用领域

- 特效和重点照明
- 起居室
- 物体照明
- 会议室
- 饭店
- 嵌入式和表面安装家具灯具
- 商店照明
- 活动室

产品优势

- 效率高，功率损耗极低
- 在整个部分负荷范围内进行保护操作，确保光源使用寿命更长

产品特点

- 线路频率：50至60 Hz
- RI抑制：符合EN 55015(A1:2007)/CISPR 15、EN 55022
- 网侧谐波，符合标准 EN 61000-3-2 的规定
- 抗干扰性能符合 EN 61547 标准
- 安全性：符合EN 61347
- 短路保护、过载保护、超温保护：电子可恢复
- 初级和次级之间的电气分隔
- 前沿切相和后沿切相均可调光

© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。

产品系列数据表

技术参数

电参数

产品描述	灯泡功率	线电流	标称电压	工作频率	标称输出电压
ET-PARROT 70/220...240 I	20...70 W	0.30 安培 [1]	220...240 V	50 kHz	11.3 / 11.4 V
ET-PARROT 70/220...240 I	20...70 W	0.30 安培 [1]	220...240 V	50 kHz [2]	11.9 / 12.0 V [3]
ET-PARROT 105/220...240 I	35...105 W	0.45 安培 [1]	220...240 V	40 kHz	11.5 V
ET-PARROT 105/220...240 I	35...105 W	0.45 安培 [1]	220...240 V	40 kHz [2]	11.9 / 12.0 V [4]

产品描述	Maximum output power	Efficiency in full-load
ET-PARROT 70/220...240 I		
ET-PARROT 70/220...240 I	70 W	94 %
ET-PARROT 105/220...240 I		
ET-PARROT 105/220...240 I	105 W	94 %

[1] 有效的

[2] 大约

[3] 70 W / 20 W

[4] 105 W / 35 W

尺寸和重量

产品描述	长度	宽度	高度	安装孔距，长度	输入端线缆截面	电缆截面积，输出端
ET-PARROT 70/220...240 I	128.0 mm	38.0 mm	31.0 mm	119.0 mm	0.75 mm²	0.75 mm²
ET-PARROT 70/220...240 I	128.0 mm	38.0 mm	31.0 mm	119.0 mm	0.75 mm²	0.75 mm²
ET-PARROT 105/220...240 I	128.0 mm	38.0 mm	31.0 mm	119.0 mm	0.75 mm²	0.75 mm²
ET-PARROT 105/220...240 I	128.0 mm	38.0 mm	31.0 mm	119.0 mm	0.75 mm²	0.75 mm²


产品描述	预留线缆长度, 输入端	预留线缆长度, 输出端	产品重量
ET-PARROT 70/220...240 I	12 / 6.0 mm	12 / 6.0 mm	115.00 g
ET-PARROT 70/220...240 I	12 / 6.0 mm [1]	12 / 6.0 mm [1]	115.00 g
ET-PARROT 105/220...240 I	12 / 6.0 mm	12 / 6.0 mm	130.00 g
ET-PARROT 105/220...240 I	12 / 6.0 mm [1]	12 / 6.0 mm [1]	130.00 g

[1] 电缆护皮 / 接线


© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。

产品系列数据表

产品系列标有数字



ET-PARROT 70/220...240 I, ET-PARROT 105/220...240 I



ET-PARROT 70/220...240 I, ET-PARROT 105/220...240 I

温度

产品描述	环境温度范围
ET-PARROT 70/220...240 I	0...+45 °C
ET-PARROT 70/220...240 I	0...+45 °C
ET-PARROT 105/220...240 I	0...+40 °C
ET-PARROT 105/220...240 I	0...+40 °C

功能

产品描述	调光方式
ET-PARROT 70/220...240 I	后缘触发相位控制
ET-PARROT 70/220...240 I	电感负载后缘/前缘触发相位控制调光器
ET-PARROT 105/220...240 I	后缘触发相位控制
ET-PARROT 105/220...240 I	电感负载后缘/前缘触发相位控制调光器

© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。

产品系列数据表

认证与标准

产品描述	认证标志 – 认证	标准	防护类型
ET-PARROT 70/220...240 I	CE	根据 EN 55015:2006 + A1:2007标准/根据 EN 61000-3-2标准/根据 EN 61547标准/根据 EN 61347标准	IP20
ET-PARROT 70/220...240 I	VDE / EAC	根据 EN 61347标准/根据 EN 55015标准/根据 EN 61000-3-2标准/根据 EN 61547标准	IP20
ET-PARROT 105/220...240 I	C-Tick / CE	根据 EN 55015:2006 + A1:2007标准/根据 EN 61000-3-2标准/根据 EN 61547标准/根据 EN 61347标准	IP20
ET-PARROT 105/220...240 I	VDE / EAC	根据 EN 61347标准/根据 EN 55015标准/根据 EN 61000-3-2标准/根据 EN 61547标准	IP20

物流数据

产品描述	商品编码
ET-PARROT 70/220...240 I	85044095900
ET-PARROT 70/220...240 I	85044095900
ET-PARROT 105/220...240 I	85044095900
ET-PARROT 105/220...240 I	85044095900

Environmental information
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

产品描述	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ET-PARROT 70/220...240 I	28-07-2022	4008321096593	Lead
ET-PARROT 70/220...240 I	14-09-2023	4008321111593	Lead
ET-PARROT 105/220...240 I	14-09-2023	4008321096616	Lead
ET-PARROT 105/220...240 I	26-05-2023	4008321111579	Lead

产品描述	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
ET-PARROT 70/220...240 I	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	56b66411-fe0d-4d9a-a892-cf16cfb6a10d
ET-PARROT 70/220...240 I	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c041af9e-492b-468d-870b-b842c3a0d446

© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。

产品系列数据表

产品描述	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
ET-PARROT 105/220...240 I	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1a8b098a-f397-4c20-81d7-59db3385055b
ET-PARROT 105/220...240 I	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	146924c0-557f-4f34-adf7-8522e9b21778

应用建议

更多详细应用信息和图形,请参阅产品数据表。

销售和技术支持

销售和技术支持 www.osram.cn

国家特殊信息

产品描述	产品代码	METEL编码	SEG-No.	STK-Number	UK Org
ET-PARROT 105/220...240 I	4008321111579	OSRETPAR105I	-	-	-
ET-PARROT 105/220...240 I	4008321111579	OSRETPAR105I	-	-	-

下载数据

	文件
	证书 504206_VDE-EMC-Certificate ET-PARROT
	证书 504178_EAC HT family
	证书 HALOTRONIC EMC 134590 280722
	统一宣言 HALOTRONIC ET PARROT CE 3674444 150222
	User instruction ET-PARROT I
	User instruction EAC - ET-PARROT ET-ZE
	Product Datasheet 321724_ATI ET-PARROT 105220-240 I ATI ET-PARROT 70220-240 I (G+GB)

© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。

产品系列数据表

	证书 ET PARROT VDE 40012653 130923
	CAD数据 343999_ET-PARROT FILE STP

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

物流数据

产品代码	产品描述	包装单位（件/单位）	尺寸（长 x 宽 x 高）	体积	毛重
4008321096593	ET-PARROT 70/220...240 I	箱 50	285 mm x 202 mm x 205 mm	11.80 dm^3	7556.00 g
4008321111593	ET-PARROT 70/220...240 I	箱 50	290 mm x 206 mm x 220 mm	13.14 dm^3	6315.00 g
4008321096616	ET-PARROT 105/220...240 I	箱 50	290 mm x 206 mm x 220 mm	13.14 dm^3	6971.00 g
4008321111579	ET-PARROT 105/220...240 I	箱 50	290 mm x 206 mm x 220 mm	13.14 dm^3	6971.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

© 2024, Inventronics GmbH. 版权所有。Inventronics集团是OSRAM品牌的许可证持有人，OSRAM品牌是ams OSRAM集团的商标。