

## SIRIUS HRI brand

High-pressure discharge lamps with reflector

### 应用领域

- Architecture & Architainment





### 产品优势



- Lightweight and compact reflector lamps
- Perfectly suited for small and lightweight moving heads
- 灯具设计经过优化，可以提供各种燃点位置
- High luminance through very short arc and high pressure
- 灯光明亮
- 长寿命
- Easy lamp replacement
- Stable light output over the entire lifetime





## 产品系列数据表





666507\_SIRIUS HRI 100W





350611\_SIRIUS HRI 132W





488735\_SIRIUS HRI 132W



501950\_SIRIUS HRI 330W




333382\_SIRIUS HRI 330W





501965\_SIRIUS HRI 330W



## 产品系列数据表





488771\_SIRIUS HRI 330W X8





501949\_Sirius HRI 330W XL





501963\_Sirius HRI 330W XL



SIRIUS HRI 371W



SIRIUS HRI 371W



668858\_SIRIUS HRI 440W

## 产品系列数据表

### 技术参数

产品描述	电参数		光度数据				光参数
	标称功率	标称电流	标称光通量	色温	显色指数 Ra	最高色温值	焦距
SIRIUS HRI 100 W	100.00 W	1.8 安培	3680 lm	9000 K	60	9300 K	30.0 mm
SIRIUS HRI 132 W SC	132.00 W	1.8 安培	5150 lm	9200 K	60	9200 K	37.7 mm
HRI	190.00 W	2.7 安培	8100 lm	8200 K	73		
SIRIUS HRI 230 W	230.00 W	3.3 安培	9500 lm	8000 K	75	8000 K	34.5 mm
SIRIUS HRI 231 W	231.00 W	3.3 安培	10800 lm	8000 K	75		
SIRIUS HRI 251 W	250.00 W	3.5 安培	12000 lm	8000 K	77		
SIRIUS HRI 260 W PRO	260.00 W	3.7 安培	13500 lm	7800 K	79		
SIRIUS HRI 280 W	280.00 W	4 安培	11500 lm	7800 K	78	7800 K	35.5 mm
SIRIUS HRI 280 W RO	280.00 W	4 安培	11500 lm	7800 K	78		
SIRIUS HRI 281 W	281.00 W	4 安培	13000 lm	7800 K	78		
SIRIUS HRI 310 W PRO	310.00 W	5 安培	15500 lm	7650 K	85		
SIRIUS HRI 311 W	310.00 W	3.3 安培	14500 lm	8000 K	75		
SIRIUS HRI 330 W	330.00 W	5 安培	18000 lm	7400 K	86	7400 K	31.0 mm
SIRIUS HRI 330 W X8	330.00 W	4.4 安培	18000 lm	8000 K	85		
SIRIUS HRI 330 W XL	330.00 W	5 安培	16500 lm	7250 K	71		
SIRIUS HRI 370W LL	370.00 W	5 安培	18000 lm	7400 K	86		
SIRIUS HRI 371 W	371.00 W	5 安培	18300 lm	7650 K	85		
SIRIUS HRI 371 W S	371.00 W	5 安培	19800 lm	7650 K	85		
SIRIUS HRI 371 W +	370.00 W	5 安培	18300 lm	7650 K	85		
HRI 371 W S +	370.00 W	5 安培	19800 lm	7650 K	85		
SIRIUS HRI 380 W Pro	380.00 W	5 安培	20000 lm	7700 K	85		
SIRIUS HRI 420 W	420.00 W	5 安培	22000 lm	7700 K	85		
SIRIUS HRI 440 W	440.00 W	5.3 安培	20000 lm	7000 K	80	7000 K	41.0 mm
SIRIUS HRI 440 W H	440.00 W	5.3 安培	18000 lm	7000 K	75		
SIRIUS HRI 440 W S	440.00 W	4.4 安培	22800 lm	7000 K	80		
SIRIUS HRI 440 W X	440.00 W	5.3 安培	22800 lm	7000 K	80		
SIRIUS HRI 461 W	461.00 W	5.3 安培	24000 lm	7500 K	80		
SIRIUS HRI 461 W S	461.00 W	5.3 安培	24000 lm	7500 K	80		
SIRIUS HRI 470 W S	470.00 W	5.3 安培	21500 lm	7000 K	80		
SIRIUS HRI 470 W RO	470.00 W	5.3 安培	19500 lm	7500 K	80		
SIRIUS HRI 470 W XL	470.00 W	5.3 安培	24000 lm	7500 K	80		
SIRIUS HRI 471 W SN	471.00 W	5.3 安培	20000 lm	7500 K	80		
SIRIUS HRI 550 W	550.00 W	6.1 安培	28000 lm	7000 K	75		

产品描述	最大孔径	尺寸和重量		寿命	功能	
		直径	长度	寿命	燃点位置	散热
SIRIUS HRI 100 W	5x3.8 mm	45.0 mm	53.0 mm	6000 h	任意	强制
SIRIUS HRI 132 W SC	5x3.8 mm	46.0 mm	max. 44 mm	6000 h	任意	强制
HRI		51.0 mm	54.5 mm			
SIRIUS HRI 230 W	5x3.8 mm	51.0 mm	54.5 mm	2500 h	任意	强制
SIRIUS HRI 231 W		51.0 mm	50.0 mm	2000 h	任意	

## 产品系列数据表

产品描述	最大孔径	尺寸和重量		寿命	功能	
		直径	长度	寿命	燃点位置	散热
SIRIUS HRI 251 W		51.0 mm	61.0 mm	3000 h		
SIRIUS HRI 260 W PRO		51.0 mm	50.0 mm	6000 h		
SIRIUS HRI 280 W	5x3.8 mm	51.0 mm	54.5 mm	2000 h	任意	强制
SIRIUS HRI 280 W RO		51.0 mm	54.5 mm	2000 h	任意	
SIRIUS HRI 281 W		51.0 mm	50.0 mm	2000 h	任意	
SIRIUS HRI 310 W PRO		58.0 mm	72.0 mm	6000 h		
SIRIUS HRI 311 W		51.0 mm	50.0 mm	1500 h		
SIRIUS HRI 330 W	8.0 mm	56.0 mm	63.0 mm	1500 h	任意	强制
SIRIUS HRI 330 W X8		58.0 mm	66.0 mm	1500 h	任意	
SIRIUS HRI 330 W XL		56.0 mm	63.0 mm	1500 h	任意	
SIRIUS HRI 370W LL		58.0 mm	72.0 mm	6000 h	任意	
SIRIUS HRI 371 W		58.0 mm	72.0 mm	1500 h	任意	
SIRIUS HRI 371 W S		58.0 mm	72.0 mm	1500 h	任意	
SIRIUS HRI 371 W +		58.0 mm	72.0 mm	3000 h		
HRI 371 W S +		58.0 mm	72.0 mm	3000 h		
SIRIUS HRI 380 W Pro		58.0 mm	72.0 mm	2500 h		
SIRIUS HRI 420 W		58.0 mm	72.0 mm	2500 h		
SIRIUS HRI 440 W	8.0 mm	58.0 mm	71.0 mm	1500 h	任意	强制
SIRIUS HRI 440 W H		65.0 mm	60.0 mm	1500 h	任意	
SIRIUS HRI 440 W S		11.8 mm	71.0 mm	1500 h	任意	
SIRIUS HRI 440 W X		58.0 mm	71.0 mm	1500 h		
SIRIUS HRI 461 W		60.0 mm	67.0 mm	1500 h	任意	
SIRIUS HRI 461 W S		60.0 mm	67.0 mm	1500 h	任意	
SIRIUS HRI 470 W S		58.0 mm	71.0 mm	1500 h	任意	
SIRIUS HRI 470 W RO		60.0 mm	67.0 mm	1500 h	任意	
SIRIUS HRI 470 W XL		60.0 mm	67.0 mm	1500 h	任意	
SIRIUS HRI 471 W SN		60.0 mm	67.0 mm	1500 h	任意	
SIRIUS HRI 550 W		60.0 mm	67.0 mm	1500 h		

产品描述	认证与标准	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	EEI - 能效标识	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
SIRIUS HRI 100 W	B	07-04-2022	4052899321656   4052899329119	In work
SIRIUS HRI 132 W SC	A	07-04-2022	4052899011335   4052899028708   4052899197404	In work
HRI		18-08-2022	4008321866592   4052899475397	In work
SIRIUS HRI 230 W	A	07-04-2022	4008321678225   4008321810311	In work

## 产品系列数据表

产品描述	认证与标准	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	EEI - 能效标识	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
SIRIUS HRI 231 W	A	07-04-2022	4052899512634   4052899553521   4062172041430   4062172128681   4062172212311	In work
SIRIUS HRI 251 W		13-04-2022	4062172212458   4062172212434	In work
SIRIUS HRI 260 W PRO		07-04-2022	4062172118941   4062172118927	In work
SIRIUS HRI 280 W	A	07-04-2022	4008321734303   4008321810342   4052899110397	In work
SIRIUS HRI 280 W RO	A	07-04-2022	4052899082151	No declarable substances contained
SIRIUS HRI 281 W	A	07-04-2022	4052899553552   4062172041454   4062172128704	In work
SIRIUS HRI 310 W PRO		07-04-2022	4062172085304   4062172169424   4062172169455	In work
SIRIUS HRI 311 W		07-04-2022	4062172169363	In work
SIRIUS HRI 330 W		07-04-2022	4008321754448   4008321810373	In work
SIRIUS HRI 330 W X8	A	07-04-2022	4052899140295   4052899140325   4052899224346	In work
SIRIUS HRI 330 W XL		07-04-2022	4008321848765   4052899195431	In work
SIRIUS HRI 370W LL		07-04-2022	4052899569188   4062172056816	In work
SIRIUS HRI 371 W		26-08-2022	4062172057004   4062172056984   4052899558649   4052899558670	In work
SIRIUS HRI 371 W S		07-04-2022	4062172056953   4062172056939   4052899558618	In work
SIRIUS HRI 371 W +		07-04-2022	4062172110341   4062172110327	In work
HRI 371 W S +		07-04-2022	4062172110396   4062172110372	In work
SIRIUS HRI 380 W Pro		11-04-2022	4062172168625   4062172168601	In work
SIRIUS HRI 420 W		07-04-2022	4062172192750   4062172192736	In work

## 产品系列数据表

产品描述	认证与标准	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	EEI – 能效标识	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
SIRIUS HRI 440 W	A	07-04-2022	4052899222212   4052899259096   4052899553644   4052899570566   4052899587892	In work
SIRIUS HRI 440 W H		07-04-2022	4052899509528   4052899576735	In work
SIRIUS HRI 440 W S	A	07-04-2022	4052899276543   4052899329140	In work
SIRIUS HRI 440 W X		07-04-2022	4062172017442	No declarable substances contained
SIRIUS HRI 461 W		07-04-2022	4052899532274   4052899553613	No declarable substances contained
SIRIUS HRI 461 W S		07-04-2022	4052899532298   4052899553583	No declarable substances contained
SIRIUS HRI 470 W S		07-04-2022	4052899580985   4062172169301	In work
SIRIUS HRI 470 W RO	A	07-04-2022	4052899476998   4052899477018	In work
SIRIUS HRI 470 W XL		07-04-2022	4052899581166   4062172017473   4062172168281	In work
SIRIUS HRI 471 W SN		07-04-2022	4052899581005   4062172040358	In work
SIRIUS HRI 550 W		07-04-2022	4062172008761   4062172078122	In work

产品描述	Candidate List Substance 1
SIRIUS HRI 100 W	
SIRIUS HRI 132 W SC	No declarable substances contained
HRI	No declarable substances contained
SIRIUS HRI 230 W	No declarable substances contained
SIRIUS HRI 231 W	No declarable substances contained
SIRIUS HRI 251 W	
SIRIUS HRI 260 W PRO	
SIRIUS HRI 280 W	No declarable substances contained
SIRIUS HRI 280 W RO	No declarable substances contained
SIRIUS HRI 281 W	No declarable substances contained

## 产品系列数据表

产品描述	Candidate List Substance 1
SIRIUS HRI 310 W PRO	
SIRIUS HRI 311 W	
SIRIUS HRI 330 W	No declarable substances contained
SIRIUS HRI 330 W X8	No declarable substances contained
SIRIUS HRI 330 W XL	No declarable substances contained
SIRIUS HRI 370W LL	No declarable substances contained
SIRIUS HRI 371 W	No declarable substances contained
SIRIUS HRI 371 W S	No declarable substances contained
SIRIUS HRI 371 W + HRI 371 W S +	
SIRIUS HRI 380 W Pro	
SIRIUS HRI 420 W	
SIRIUS HRI 440 W	No declarable substances contained
SIRIUS HRI 440 W H	No declarable substances contained
SIRIUS HRI 440 W S	No declarable substances contained
SIRIUS HRI 440 W X	No declarable substances contained
SIRIUS HRI 461 W	No declarable substances contained
SIRIUS HRI 461 W S	No declarable substances contained
SIRIUS HRI 470 W S	
SIRIUS HRI 470 W RO	No declarable substances contained
SIRIUS HRI 470 W XL	No declarable substances contained
SIRIUS HRI 471 W SN	No declarable substances contained
SIRIUS HRI 550 W	



## 产品系列数据表

---

### 安全建议

由于SIRIUS HRI灯在工作时亮度高、紫外线辐射高、内压高，所有它只能在专为此目的设计的密闭外壳内工作。必须使用合适滤光片来确保紫外线辐射降至接受水平。如果灯破裂，会释放水银。必须采取特定的安全措施。备有安全性和处理相关信息可供索取，也可以在照明灯宣传单或操作说明书中查找相应信息。

---

### 应用建议

更多详细应用信息和图形,请参阅产品数据表。

---

### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。