

Lok-it!

卤素灯




产品优势

- 能够实现射灯灯光的最佳利用



产品系列数据表



383890_Lok-it! 1200W

产品系列数据表

技术参数

	Product information	电参数	光度数据	尺寸和重量			寿命
产品描述	Order reference	标称电压	显色指数 Ra	直径	长度	光中心 (LCL)	寿命
Lok-it! 1200 W 80 V/32/P50	LOK-IT! 1200W/3	80.0 V	100	23.0 mm	140.0 mm	84.0 mm	250 h

	功能	特定分类	物流数据	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
产品描述	燃点位置	ANSI编码	EAN 10 of contained light source	Date of Declaration
Lok-it! 1200 W 80 V/32/P50	任意	Other	4008321382795	15-03-2024

产品描述	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
Lok-it! 1200 W 80 V/32/P50	4008321382795	No declarable substances contained	No declarable substances contained

产品系列数据表

安全建议

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。