

TRUCKSTAR PRO

Brightest OSRAM truck halogen light



Up to 2.5 times longer lifetime

与标准灯具相比，减少了停机时间和成本



Up to 120% more brightness

照射距离更远，驾驶人员可以反应更迅速，与最低法律标准相比



非常高的抗振性

Suitable for heavy duty applications



The most powerful halogen and signal truck lamps from OSRAM

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

产品系列数据表

技术参数

产品描述	Product information		电参数				光度数据
	Order reference	Application (Category and Product specific)	功率输入	标称电压	标称功率	测试电压	光通量
TRUCKSTAR PRO H1	64155TSP	Halogen headlight lamp	84 W ¹⁾	24.0 V	70.00 W	28.0 V	1900 lm
TRUCKSTAR PRO H3	64156TSP	Halogen headlight lamp	84 W ¹⁾	24.0 V	70.00 W	28.0 V	1750 lm
TRUCKSTAR PRO H4	64196TSP	Halogen headlight lamp	85 / 80 W ¹⁾	24.0 V	75/70 W	28.0 V	1900/1200 lm
TRUCKSTAR PRO H7	64215TSP	Halogen headlight lamp	75 W ¹⁾	24.0 V	70.00 W	28.0 V	1750 lm

产品描述	光通量容许偏差	尺寸和重量		寿命		更多的产品数据	功能
		长度	直径	Lifespan B3	使用寿命 Tc	灯头 (标准名称)	Technology
TRUCKSTAR PRO H1	±15 %	67.5 mm	9 mm	600 h	1200 h	P14.5s	HAL
TRUCKSTAR PRO H3	±15 %	42.0 mm	12.0 mm	600 h	1200 h	PK22s	HAL
TRUCKSTAR PRO H4	±15 / ±15 %	82.0 mm	16.5 mm	140 / 450 h ²⁾	300 / 1000 h ²⁾	P43t	HAL
TRUCKSTAR PRO H7	±10 %	59.0 mm	12.0 mm	500 h	1000 h	PX26d	HAL

产品描述	认证与标准	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	ECE 分类	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TRUCKSTAR PRO H1	H1	06-03-2024	4008321784179 4008321784209 4008321851765 4052899413832 4052899414037 4052899413931 4052899499720 4052899529229 4062172159432 4062172174657 4062172216555 4062172218771 4062172232319 4062172285117 4062172216531 4062172388184	No declarable substances contained

产品系列数据表

	认证与标准	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
产品描述	ECE 分类	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TRUCKSTAR PRO H3	H3	08-03-2024	4008321784261 4008321784292 4008321784247 4008321851901 4008321892720 4052899413856 4052899414051 4052899413955 4058075021952 4052899481893 4052899481916 4052899481954 4062172027410 4062172159401 4062172285933 4052899481930	No declarable substances contained
TRUCKSTAR PRO H4	H4	08-03-2024	4008321785046 4008321785022 4008321785077 4052899413870 4052899414075 4052899413979 4052899476066 4062172150491 4062172150439 4062172387514	No declarable substances contained
TRUCKSTAR PRO H7	H7	06-03-2024	4008321785091 4008321785114 4008321855954 4008321855978 4008321855930 4052899413818 4052899414013 4052899413917 4052899476042 4062172150521 4062172150453 4062172387637	No declarable substances contained

产品描述	Declaration No. in SCIP database
TRUCKSTAR PRO H1	In work
TRUCKSTAR PRO H3	In work
TRUCKSTAR PRO H4	In work
TRUCKSTAR PRO H7	In work

1) 最大

2) 灯丝1

产品系列数据表

下载数据

文件	
	360 Degree Image TRUCKSTAR PRO H1 64155TSP
	360 Degree Image TRUCKSTAR PRO H3 64156TSP
	360 Degree Image TRUCKSTAR PRO H4 64196TSP
	360 Degree Image TRUCKSTAR PRO H7 64215TSP

法律建议

Light output compared to the minimum ECE R112 requirements

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

