

TRUCKSTAR PRO H4

Brightest OSRAM truck halogen light



Up to 2.5 times longer lifetime

与标准灯具相比，减少了停机时间和成本



Up to 120% more brightness

照射距离更远，驾驶人员可以反应更迅速，与最低法律标准相比



非常高的抗振性

Suitable for heavy duty applications



The most powerful halogen and signal truck lamps from OSRAM

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

产品数据表

技术参数

Product information

Order reference	64196TSP
Application (Category and Product specific)	Halogen headlight lamp

电参数


功率输入	85 / 80 W ¹⁾
标称电压	24.0 V
标称功率	75/70 W
测试电压	28.0 V

¹⁾ 最大

光度数据

光通量	1900/1200 lm
光通量容许偏差	±15 / ±15 %
色温	3200 K

尺寸和重量



长度	82.0 mm
直径	16.5 mm
产品重量	25.90 g

寿命

Lifespan B3	140 / 450 h ¹⁾
使用寿命 Tc	300 / 1000 h ¹⁾

¹⁾ 灯丝1 / 灯丝2

更多的产品数据

产品数据表

灯头 (标准名称)	P43t
功能	
Technology	HAL
认证与标准	
ECE 分类	H4
特定分类	
Order reference	64196TSP

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	08-03-2024
Primary Article Identifier	4008321785046 4008321785022 4008321785077 4052899413870 4052899414075 4052899413979 4052899476066 4062172150491 4062172150439 4062172387514
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4052899476066	TRUCKSTAR PRO H4	塑料盒 2	- x - x -		148.00 g
4062172060271	TRUCKSTAR PRO H4	箱 10	268 mm x 126 mm x 125 mm	4.22 dm ³	804.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

下载数据

文件	
	360 Degree Image TRUCKSTAR PRO H4 64196TSP

法律建议

产品数据表

Light output compared to the minimum ECE R112 requirements

应用建议
更多详细应用信息和图形,请参阅产品数据表。

免责声明
更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。



OSRAM