

NIGHT BREAKER SILVER H4

优异的性能寿命比



亮度提升高达**100%**
照射距离更远，驾驶人员可以反应更迅速，与最低法律标准相比



照路距离高达**130米**
具有更高能见度



更好的平衡了产品表现和产品寿命
更高的亮度，和合理的使用寿命



欧司朗卤素灯泡有最佳的使用寿命

With NIGHT BREAKER SILVER, OSRAM offers a performance halogen automotive lamp with an optimized lifetime. OSRAM NIGHT BREAKER SILVER generates up to 100% more brightness compared to the minimum legal standard and a beam which is up to 130 meters long. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance and lifetime.

产品数据表

技术参数

Product information

Order reference	64193NBS
Application (Category and Product specific)	Halogen headlight lamp

电参数


功率输入	75 / 68 W ¹⁾
标称电压	12.0 V
标称功率	60/55 W
测试电压	13.2 V

¹⁾ 最大

光度数据

光通量	1650/1000 lm
光通量容许偏差	±12 / ±15 %

尺寸和重量



直径	13.0 mm
产品重量	21.30 g
长度	82.0 mm

寿命

Lifespan B3	250 / 400 h ¹⁾
使用寿命 Tc	500 / 900 h ¹⁾

¹⁾ 灯丝1 / 灯丝2

更多的产品数据

灯头 (标准名称)	P43t
-----------	------

产品数据表

功能

Technology	HAL
------------	-----

认证与标准

ECE 分类	H4
--------	----

特定分类

Order reference	64193NBS
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899992337 4052899992450 4052899992313 4052899578913 4052899992603 4052899998933 4052899992351 4052899992375 4062172387453 4062172395687
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4052899998933	NIGHT BREAKER SILVER H4	塑料盒 2	- x - x -		138.00 g
4062172060219	NIGHT BREAKER SILVER H4	箱 10	268 mm x 126 mm x 125 mm	4.22 dm ³	758.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

下载数据

文件	
	360 Degree Image NIGHT BREAKER SILVER H4 64193NBS

法律建议

Light output compared to the minimum ECE 112 requirements.

产品数据表

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

