产品数据表

NIGHT BREAKER LASER H1

Halogen light with excellent brightness

亮度提升高达**150%**
照射距离更远，驾驶人员可以反应更迅速，与最低法律标准相比

照路距离高达**150**米
具有更高能见度

色温提升可达**20%**
时尚外观，与最低法律标准相比

Strong halogen light for high demands

Thanks to innovative laser ablation technology, NIGHT BREAKER LASER halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly. Last but not least: OSRAM NIGHT BREAKER LASER impresses with its unique design (laser-engraved product name) and complete portfolio (H1, H3, H4, H7, H8, H11, HB3, HB4).

© 2024, OSRAM GmbH. 版权所有.

产品数据表

技术参数

Product information

Order reference	64150NL
Application (Category and Product specific)	Halogen headlight lamp

电参数

功率输入	68 W [1]
标称电压	120 V
标称功率	5500 W
测试电压	13.2 V

[1] 最大

光度数据

光通量	1550 lm
光通量容许偏差	±15 %
色温	3200 K

尺寸和重量



直径	900 mm
产品重量	630 g
长度	670 mm

寿命

Lifespan B3	150 h
使用寿命 **Tc**	300 h

更多的产品数据

灯头 (标准名称)	P14.5s

© 2024, OSRAM GmbH. 版权所有.

产品数据表

功能

Technology	HAL

认证与标准

ECE 分类	H1

特定分类

Order reference	64150NL

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	20-02-2024
Primary Article Identifier	4052899991538 | 4052899990944 | 4052899991453 | 4058075141513 | 4052899991309 | 4052899998995 | 4062172114936 | 4062172114899 | 4062172159289 | 4062172159241 | 4062172256940 | 4052899991514 | 4052899990906 | 4062172388108 | 4062172395489
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

物流数据

产品代码	产品描述	包装单位（件/单位）	尺寸（长 x 宽 x 高）	体积	毛重
4052899991309	NIGHT BREAKER LASER H1	纸盒 1	25 mm x 23 mm x 70 mm	0.04 dm³	8.00 g
4052899991316	NIGHT BREAKER LASER H1	捆 10	113 mm x 50 mm x 70 mm	0.40 dm³	81.00 g
4052899991323	NIGHT BREAKER LASER H1	箱 100	122 mm x 109 mm x 361 mm	4.80 dm³	905.00 g
4052899991538	NIGHT BREAKER LASER H1	塑料盒 2	114 mm x 48 mm x 106 mm	0.58 dm³	104.00 g
4062172060448	NIGHT BREAKER LASER H1	箱 10	268 mm x 126 mm x 125 mm	4.22 dm³	606.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

下载数据

© 2024, OSRAM GmbH. 版权所有.

产品数据表

	文件
	360 Degree Image NIGHT BREAKER LASER next gen H1 64150NL

法律建议
Light output compared to the minimum ECE R112/R37 requirements

H4/H7/H8/H11/HB3/HB4

应用建议
更多详细应用信息和图形,请参阅产品数据表。

免责声明
更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

© 2024, OSRAM GmbH. 版权所有.