

PL-CN111-COB-2800-930UW-24D- G1

PrevaLED COIN 111 DC COB UW G1 | LED模块，带集成式光学器件和散热器

产品特点

- 一致白光 : < 3 SDCM
- TM30 compliant, Rg 100, Rf 90
- Luminous flux: 1,100...3,600 lm (model dependent)



应用领域

- 商店
- 饭店
- 酒店
- 博物馆、画廊



产品数据表

技术参数

电参数

标称电流	0.7 安培
标称电压	37.0 V ¹⁾
电流类型	DC
相当于白炽灯功率标称值	100 W

¹⁾ All parameters are derived at steady status when: T_p = 65°C

光度数据


发光效率	92 lm/W ¹⁾
EN 12464-1 标准光色	白色
显色指数 Ra	≥80

¹⁾ All parameters are derived at steady status when: T_p =65°C/Tolerance of measurements is ±7%

光参数

启动时间	0.0 s
------	-------

尺寸和重量



直径	110.0 mm
产品重量	355.00 g

颜色和材料

Heatsink color	Silver
----------------	--------

温度

符合 IEC 62717 的性能温度	65 °C
温度系数测试点最高温度	90 °C
环境温度范围	-25...+40 °C

产品数据表

仓储温度范围	-40...80 °C
--------	-------------

认证与标准

标准	根据 IEC 62471标准/根据 IEC 60598-1标准/根据 EN 60529标准/根据 EN 62031标准/根据 EN 61547标准/根据 EN 55015标准/CE
防护类型	IP20

物流数据

商品编码	853951000000
------	--------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	27-05-2022
Primary Article Identifier	4062172005203
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4062172005203	PL-CN111-COB-2800-930UW-24D- G1	箱 12	280 mm x 254 mm x 209 mm	14.86 dm³	5082.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

免责声明

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.