

PrevaLED Linear IND G1

线型LED 模组



产品特点

- Available with luminous flux: 1,400 lm on 280 mm
- Available with luminous flux: 2,800 lm on 560 mm
- Available with color temperature: 4,000 K, 5,000 K or 6,500 K
- Average lifetime (L80 B50): 100,000 h (temperature at Tc = 60 °C)

产品优势

- LED module for robust application
- 超长寿命

应用领域

- 工业



产品系列数据表

技术参数

产品描述	电参数				
	标称电压	标称电流	电流类型	Energy consumption in on-mode [AGGR]	On-mode power [AGGR]
PL-LIN-IND-Z1 1400-840 280X24	323 V	0228 安培	DC	7.4 kWh/1000h	7.40 W

产品描述	光度数据				
	发光效率	显色指数 Ra	Useful luminous flux (Φuse) [AGGR]	Colour consistency (McAdam ellipses) [AGGR]	Correlated color temperature CCT [AGGR]
PL-LIN-IND-Z1 1400-840 280X24	191 lm/W	80	1363 lm	3	4000 K

产品描述	LED 模块信息		尺寸和重量	
	模块LED颗粒数	产品重量	Width EPREL [AGGR]	Length EPREL [AGGR]
PL-LIN-IND-Z1 1400-840 280X24	36	2100 g	24.0 mm	280.0 mm


产品描述	Height EPREL [AGGR]	温度			
		符合 IEC 62717 的性能温度	工作温度范围	温度系数测试点最高温度	仓储温度范围
PL-LIN-IND-Z1 1400-840 280X24	5.0 mm	60 °C	-40...90 °C	90 °C	-40...90 °C

产品描述	环境温度范围	寿命		更多的产品数据
		L70B50 lifetime [AGGR]	Lumen maintenance factor LMF [AGGR]	Lighting technology used [AGGR]
PL-LIN-IND-Z1 1400-840 280X24	-40+90 °C	100000 h	96	LED


产品描述	认证与标准		物流数据
	标准	Energy efficiency class [AGGR]	商品编码
PL-LIN-IND-Z1 1400-840 280X24	CE/ENEC	C	85414100000

产品描述	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
PL-LIN-IND-Z1 1400-840 280X24	18-04-2022	4052899605848	No declarable substances contained	No declarable substances contained

产品系列数据表



PL-LIN-IND-Z1 1400-850



PL-LIN-IND-Z1 1400-850

应用建议

更多详细应用信息和图形,请参阅产品数据表。

销售和技术支持

销售和技术支持 www.osram.cn

下载数据

文件	
	统一宣言 PL LIN IND G1 CE 4178842 160623
	统一宣言 EU Declaration of conformity PL-LIN-Z4 family
	统一宣言 Declaraton of conformity PL-LIN-Z4

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

产品系列数据表

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4052899605848	PL-LIN-IND-Z1 1400-840 280X24	箱 60	592 mm x 252 mm x 100 mm	14.92 dm ³	1692.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。