

BA-AR-G2 2500-830 540X270

Basic Area G2 | 方形和条形光引擎



产品特点

- Module efficacy: up to 166 lm/W
- Average lifetime (L80 B50): up to 70,000 h (temperature at $T_c = 55^\circ\text{C}$)
- Available with luminous flux: 2,600 lm
- (可提供) 色温 : 3000 K、4000 K 或 6500 K

产品优势

- SELV 模块，使灯具设计更加简单

应用领域

- 办公室
- 带灯天花板



产品数据表

技术参数

电参数

标称电压	396 V
标称电流	04 安培
电流类型	DC

光度数据

发光效率	161 lm/W
显色指数 Ra	80


光参数

光束角	0 °
启动时间	< 01 s
升温时间 (60 %)	< 200 s

LED 模块信息

模块LED颗粒数	120
----------	-----

尺寸和重量



产品重量	21500 g
长度	5400 mm
宽度	2700 mm
高度	500 mm

温度

符合 IEC 62717 的性能温度	55 °C
工作温度范围	-20...75 °C
温度系数测试点最高温度	75 °C

产品数据表

仓储温度范围	-30...85 °C
--------	-------------

寿命

点亮次数	100000
------	--------

更多的产品数据

后继 EAN	4052899989238
--------	---------------

功能

可调光	是
-----	---

认证与标准

标准	CE/ENEC
防护类型	IP20

物流数据

商品编码	85395100000
------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4052899619166
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

下载数据

文件	
	证书 PL ENEC 40031612 250723

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

产品数据表

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4052899619166	BA-AR-G2 2500-830 540X270	箱 20	595 mm x 363 mm x 293 mm	63.28 dm ³	6461.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

免责声明

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.