

AirZing 5030

OSRAM AirZing PRO 5030 | 特种灯



产品数据表

技术参数

尺寸和重量

长度	00 mm
产品重量	120000 g

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4062172156622 4062172196017 4062172195997 4062172152679
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	03365ed3-07d6-4878-b922-6c9d7a272f39

产品数据表

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4062172152679	AirZing 5030	纸盒 1	1026 mm x 164 mm x 72 mm	12.12 dm ³	2017.00 g
4062172152686	AirZing 5030	箱 6	1045 mm x 346 mm x 250 mm	90.39 dm ³	13322.00 g
4062172156622	AirZing 5030	纸盒 1	1172 mm x 164 mm x 72 mm	13.84 dm ³	1893.00 g
4062172156639	AirZing 5030	箱 6	1190 mm x 346 mm x 250 mm	102.94 dm ³	12748.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。