


LEDinspect UTILITY1000

Inspectionlights



Multi-Functional Lamp

High flexibility and diverse adjustment possibilities. Up to 180° ratcheting bases and up to 360° rotating body.



1000 lm

2 light functions: Up to 1000lm-high Up to 400lm-low For individually adjustable light settings



Magnetic Base & Rotatable Hook

Versatile mounting options



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

产品数据表



Light is versatile

Designed with versatility in mind, the UTILITY 1000 combines magnetic, 180° ratcheting base with a 360° rotating body. This means the inspectionlight can be used either freestanding or hands-free, positioned in any number of ways to ensure the work area is properly illuminated. With two light functions - high with up to 1000lm and low with up to 400lm - it produces a light output that can be matched to the task at hand. This inspection light is ideal as a light for manual work, car repairs and everyday use. OSRAM also provides a 2-year guarantee on this product* Charging cable and mains charger included.

产品数据表

技术参数

Product information

Order reference	LEDIL407
Application (Category and Product specific)	LED inspection lights

电参数

标称功率	19.24 W
标称电压	7.4 V


光度数据

色温	6500 K
光通量	1000 lm
LED 光色	白色

LED 模块信息

模块LED颗粒数	1
----------	---

尺寸和重量



产品重量	490.00 g
长度	500.0 mm
宽度	50.0 mm
高度	48.0 mm

颜色和材料

灯头颜色	黑色 / Orange
------	-------------

寿命

Guarantee	2 年
-----------	-----

产品数据表

更多的产品数据

Type of Battery	Rechargeable
Number of included batteries	1
Scope of battery	Yes
Battery	High-quality lithium-ion battery

功能

Technology	LED
------------	-----

认证与标准

标准	CE/EMC/MSDS/ROHS
IK Class	IK07

特定分类

Order reference	LEDIL407
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	08-03-2024
Primary Article Identifier	4062172338356
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	12140b2a-ec70-4b9c-9c15-9b33a359d5fe



Detail



Detail



Detail


产品数据表

物流数据

产品代码	产品描述	包装单位 (件/单位)	尺寸 (长 x 宽 x 高)	体积	毛重
4062172338356	INSPECTION LAMP	纸盒 1	80 mm x 57 mm x 510 mm	2.33 dm ³	583.00 g
4062172338363	INSPECTION LAMP	箱 6	530 mm x 190 mm x 188 mm	18.93 dm ³	3968.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时，按一个或多个整件数下单。

下载数据

文件	
	User instruction LEDinspect UTILITY 1000 LEDIL407

Application advice:
For more detailed application information and graphics please see product datasheet and user instruction.

*for precise conditions please refer to:

www.osram.com/am-guarantee

应用建议
更多详细应用信息和图形,请参阅产品数据表。

免责声明
更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

