## **OSRAM**

# LEDriving SL T5

#### 理想车辆的理想升级品



Suitable for various vehicle interior and exterior applications

冷白可供选择

Replaces conventional T5 lamps (e.g. **ECE W2.3W)** 

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4年质保,详情请参考 www.osram.com/am-quarantee。



#### Suitable LED replacement for T5 (e.g W2.3W)

LEDriving SL T5 replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional T5 lamp bases (e.g. ECE W2.3W). In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

## 产品数据表

#### 技术参数

#### **Product information**

Order reference	2723DWP	
Product type (off-road vs. on-road)	Off-road ≙ W2.3W (T5)	
Application (Category and Product specific)	Mainly used for signal/ indicator applications	


#### 电参数

功率输入	0.25 W
标称电压	12.0 V
标称功率	0.25 W
输入功率容许偏差	±20 %
测试电压	13.5 V

#### 光度数据

色温	6000 K
光通量	25 lm
光通量容许偏差	±25 %
LED 光色	Cool white

#### 尺寸和重量



长度	16.5 mm
直径	6 mm
产品重量	0.35 g

#### 寿命

Lifespan B3	750 h
使用寿命 Tc	2000 h
Guarantee	4 年

#### 产品数据表

#### 更多的产品数据

灯头 (标准名称)	W2x4.6d
-----------	---------

#### 功能

Technology	LED 1)
------------	--------

<sup>1)</sup> Light-emitting diode lamp

#### 特定分类

Order reference	2723DWP
-----------------	---------

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 07-03-2024				
Primary Article Identifier	4062172254687   4062172401838			
Declaration No. in SCIP database	In work			

#### 物流数据

产品代码	产品描述	包装单位(件 <b>/</b> 单位 )	尺寸(长x宽x高)	体积	毛重
4062172254687	LEDriving SL ≙ W2.3W (T5)	吸塑 2	135 mm x 95 mm x 8 mm	0.10 dm <sup>3</sup>	12.00 g
4062172254694	LEDriving SL ≙ W2.3W (T5)	<b>箱</b> 10	104 mm x 71 mm x 146 mm	1.08 dm <sup>3</sup>	93.00 g

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时,按一个或多个整件数下 单。

#### 下载数据

文件



小册子

LEDriving Retrofits - Exchange overview (EN)

#### 法律建议

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### 应用建议

### 产品数据表

更多详细应用信息和图形,请参阅产品数据表。

#### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

