产品数据表

OSRAM

LEDriving Universal Headlight Mounting Kit





Specially designed mounting plate

For manual adjustment of the light in vertical and horizontal position




Easy Installation

Mounting on the vehicle with 3 screws



2 years OSRAM guarantee1)

Robust and resistant



Individual light for individual requirements

With the OSRAM LEDriving Universal Headlight portfolio, you experience maximum flexibility and a wide range of possible applications. Additionally, they can be mounted in three different ways: Direct mount, mount with a mounting plate, and mount with a leveling motor. OSRAM has developed specially designed mounting kits and a mounting plate. The LEDriving Universal Headlight Mounting Kit MK1 for a particular flexible assembly is compatible with all OSRAM LEDriving headlights of the Universal Headlights Series. It can be mounted to the vehicle with only a few screws, it is quick and easy to mount, and this also allows a faster and easier installation of the LEDriving Universal Headlight. In addition, the mounting enables the manual adjustment of the light in vertical and horizontal position, thus ensuring maximum flexibility. OSRAM provides a 2-year guarantee on these products1).1)For precise conditions refer to: www.osram.com/am-guarantee

产品数据表

技术参数

Product information

Order reference	LEDUHL MOUNT101
-----------------	-----------------

尺寸和重量

产品重量	70.00 g
长度	122 mm
高度	122 mm

温度

环境温度范围	-40+80 °C

寿命

Guarantee	2 年

认证与标准

特定分类

Order reference	LEDUHL MOUNT101

物流数据

商品编码	76169990990
------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	16-08-2023		
Primary Article Identifier	4062172219334 4062172242103 4062172242080 4062172302449		
Declaration No. in SCIP database	In work		

物流数据

产品代码	产品描述	包装单位(件 / 单位)	尺寸(长x宽x高)	体积	毛重
4062172302449	LEDriving Universal Headlight Mounting Kit MK1	纸盒 1	129 mm x 33 mm x 128 mm	0.54 dm ³	85.00 g

产品数据表

4062172302456	Headlight Mounting	箱 10	269 mm x 176 mm x 140 mm	6.63 dm ³	945.00 g
	Kit MK1				

这里所提到的产品编码代表最小订购数量。一个整件包装含有一个或多个单一产品。请您在下单时,按一个或多个整件数下 单。

安全建议

For detailed application information, please refer to the product data sheet and the user instruction

法律建议

1)For precise conditions refer to: www.osram.com/am-guarantee

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。

